Chapter 3

Composer Schematic Capture




Figure 3.1: Library creation dialog box in the Library Manager



Figure 3.2: New cell dialog box in the Library Manager




Figure 3.3: Blank Composer window; note the command widgets on the left of the screen



Figure 3.4: Component Browser dialog




Figure 3.5: Add Instance dialog box




Figure 3.6: Add Pin dialog box



Figure 3.7: A full adder bit schematic



Figure 3.8: A simple symbol for the FullAdder circuit




Figure 3.9: A two-bit adder using FullAdder bits




Figure 3.10: The Wire Name dialog box




Figure 3.11: Close view of the twoBitAdd showing the bus naming




Figure 3.12: Transistor schematic for a two-input NAND gate




Figure 3.13: Device properties for an nmos device




Figure 3.14: A symbol for the nand2 circuit



Figure 3.15: Dialog box for Submit Plot

X Plot Options		
OK Cance	Defaults Apply	Help
Plot Size	CADE Printer UU_sheet Asize portrait \$\infty\$ landscape \$\infty\$ a Center Plot Fit to F 11.1053 \times 8.2667 inch 0.0000 \times 0.0000	Page
The second secon	11.1053 × 8.2667	Total Pages 1
Number Of Copies Local Tmp Directory /usr/tmp Queue Plot Data At 10 □ : 00 □ PM □ Monday □ Send Plot Only To File Mail Log To elb		

Figure 3.16: Dialog box for Plot Options